



2012 easy cruising



Easy Cruising

Easy & Fun

Zoom SP 6 / 7


Classic 8 / 9

Futura 10 / 11

Which floor? 12 / 13

Technical specifications 14 / 15





The Easy Cruising range has been designed to make your life easier, letting you devote all your time to sailing.

Everything has been designed to make all the different steps in stowage and preparation easier, whilst still ensuring excellent value for money. Light, lively and versatile, these are real seafaring boats.

If cruising and pleasant day trips at sea are your thing, boats from the new Zoom SP & Classic series match this brief to perfection.

If you're more into sport and like high-octane thrills, the Futura models are made with you in mind.

Zodiac® , at the heart of boating, on all the seas of the globe

Inventing a market, developing it around the world, remaining the leader for over 70 years, and being recognized as the most emblematic brand, this is the story of Zodiac® in the sector of marine crafts and inflatable boats.

It was in 1934 that Pierre Debroutelle designed the prototype of an inflatable two-man kayak and began, without knowing it, what would become a great industrial adventure. Three years later, commissioned by the French navy, he invented a new type of sea craft capable of carrying bombs and torpedoes: the concept was two air chambers assembled in a “U” shape, joined together by a wooden floor platform. The inflatable boat was born! The rise of pleasure boating and water sports in the early 60s gave a huge boost to this type of boat, and since then its future has never been in doubt.

The history of the brand is made up of a long series of important stages, but above all its success lies in its unchanging philosophy: respect for the sea and the natural elements, extremely high manufacturing quality standards, an obsession for safety, a permanent desire to innovate, and a global vision of the market.

In 2010, the English magazine ‘Motor Boat’ awarded the Oscar for the best motor boat to our latest invention, the N-ZO™, adding to an already long list of trophies and awards.

Zodiac® Mark™ II



Prototype for the French navy
(1937)



Sundeck
1964



From left to right:
1 Vaurien, 1 Zodiac®, 1 Riva



Zodiac® n-Zo™

Birds of a feather flock together

At Zodiac® we have always considered the spirit of partnership as an attitude that allows us to advance faster and further. We belong to the big family of boating, and appreciate just as much sailing as motor boating, cruising as racing, and pleasure boating as nautical sport.

In recent years, Zodiac® has been keen to associate itself with the most prestigious sailing events by offering boats to ensure the safety of the competitors at the start and finish line of the most famous oceanic races. As partner of the Vendée Globe 2008/2009, Zodiac® provided the Organizers with sixty Pro Open 650 boats to allow the skippers to navigate in a perfectly safe space of water despite the huge fleet of accompanying boats.



Limited series Pro Open Vendée Globe and Roland Jourdain on Veolia Environnement



Sundeck 2010 (Medline™ 650)



Limited series Pro Open Route du Rhum™ - La Banque Postale

Roland Jourdain, at the helm of his Véolia Environnement boat, also chose to team up with Zodiac®, in 2009, sharing the same notion of commitment and high performance standards. In this same spirit, Zodiac® is also the official supplier in 2010 of the Route du Rhum™ – La Banque Postale and will provide specific boats for the start of the race in Saint-Malo.

Because, by agreeing upon the essential values, we share the same ambitions.

Zoom SP

Ultimate value for money

Made from glued structure Strongan™ fabric, the Zoom SP range offers excellent value for money. Its large diameter buoyancy tubes give it an impressive load capacity.

The truncated-cone tube ends provide great buoyancy, particularly noticeable if you choose a 4-stroke engine.

The banana-shaped buoyancy tube offers an aesthetic and modern design. Its aluminium floor provides reinforced solidity and permits quick and easy fitting and maintenance.



Zoom SP 400



- Excellent value
- Aluminium floor
- Banana-shape buoyancy tube
- Thwart included as standard
- High load capacity
- Truncated cones
- Carrying bag included



Zoom SP 400



Zoom SP



Zoom SP 350



ZOOM SP 350 ALU
3,5 m / 11'6"



ZOOM SP 400 ALU
4 m / 13'1"



ZOOM SP 450 ALU
4,5 m / 14'9"

EQUIPMENT

DECK

- Inflatable keel
- Aluminium floor with cross braces
- Engine mounting plate
- Bailer

BUOYANCY TUBE

- 1100 decitex material
- Semi-recessed valves
- Lashings
- 2 oar rests
- 2 swivel oarlocks (350)
- Rubbing strip
- 1 bow handle
- 2 carrying handles (4 on 400/450)
- 2 pilot handles (400/450)
- 2 stainless steel tow rings
- Pre-fittings for additional bench seat
- Cone reinforcers

STANDARD EQUIPMENT

- Aluminium oars (350)
- Aluminium paddles (400/450)
- Foot pump
- Thwart
- Carrying bag
- Repair kit
- Owner's manual

OPTIONAL EQUIPMENT

- 12V electric pump with pressure regulator. 0.3 bar / 4.35 PSI capacity
- Bathing ladder
- Launching wheels
- Removable bow-bag with Velcro fastening
- Bench bag

Classic

The original Zodiac®

The product of over 70 years of experience, the CLASSIC retains all the qualities that built Zodiac's® reputation: safety, stability and strength. Very easy to manoeuvre, it also has generous seating. Thanks to its inflatable hull and buoyancy tube, performance is optimised, planing is rapid and stability improved.

In the boot or on the roof of your car, you can take the Classic anywhere. It can also be set up or put away in just a few simple steps. High quality that will appeal to fishermen and pleasure trip fans alike. It's the ideal first boat



Classic Mark II



- Tried + tested design
- 2 floor options
- Instant and easy to set up
- Easy storage and maintenance
- Light
- Accessory mounting rails
- Many options available
- Strongan™ Duotex™



Classic Mark II



CLASSIC



CLASSIC MARK 1
3,5 m / 11'6"

CLASSIC MARK 2 C
3,8 m / 12'6"

CLASSIC MARK 2
4,2 m / 13'9"

EQUIPMENT

DECK

- Choice of floors:
- ◆ Quick-fit aluminium floor with tie-down rail system (Classic HD)
- ◆ Marine plywood floor in aluminium frame with tie-down rail system (Classic ST)
- Inflatable hull
- Aluminium motor mounting plate
- 2 bailers

BUOYANCY TUBE

- Strongan™ Duotex™ 2 x 1100 decitex fabric
- Easy Push valves
- Polyamid lacing cuff + safety grab lines
- Wide anti-chafing deflector strip
- 1 bow handle
- 4 carrying handles
- 2 stainless steel tow rings
- Cone reinforcers

STANDARD EQUIPMENT

- Removable bow bag
- Fittings for remote steering bar
- Fittings for launching wheels
- Mast and pennant
- 2 carrying bags
- 2 paddles
- Foot pump
- 1 pressure gauge
- Repair kits
- Owner's manual

OPTIONAL EQUIPMENT

- 1 adjustable bench
- Luxury 2-person locker seat (except Mark 1)
- Inflatable bench
- Cover
- Fishing rod holder
- Launch trolley
- Launching wheels
- Electric pump
- Mini-console on bench
- Bathing ladder

Futura

The high-performance inflatable

ZODIAC® technology designed the patented FUTURA hull. It is formed from a large-diameter keel plus two perfectly proportioned cushioning buoyancy tubes placed under the base of the boat. When underway, the hull rests solely on the cushioning tubes - reducing drag and increasing lift - providing outstandingly easy handling and extreme thrills!

Accessories plus an adjustable steering position (all possible to assemble and dismantle without tools) combined with the ability to plane even when heavily laden, make this a craft that is equally comfortable for crew and passengers.



Futura Mark II



- Exclusive Zodiac® hull
- 2 floor options
- Comfortable well-designed steering position
- Easy and quick to set up
- Simple to store and carry
- Excellent performance



Futura Mark II



Futura Mark II



FUTURA MARK 2 C
3,7 m / 12'2"

FUTURA MARK 2
4,1 m / 13'5"

FUTURA MARK 3
4,5 m / 14'9"



EQUIPMENT

DECK & HULL

- Choice of floors:
- ◆ Quick-fit aluminium floor with tie-down rail system (Futura Alu)
- ◆ H2P inflatable floor (Futura FR)
- Inflatable hull
- Futura hull with 2 removable cushioning buoyancy tubes
- Aluminium motor mounting plate
- 2 bailers

BUOYANCY TUBE

- Strongan™ Duotex™ 2 x 1100 decitex fabric
- Polyester bow roller
- Easy Push valves
- Polyamide lacing cuff + safety grab lines
- Wide anti-chafing deflector strip
- 1 Bow handle
- 2 interior handles
- 4 carrying handles
- 2 stainless steel tow rings
- Cone reinforcers

STANDARD EQUIPMENT

- Removable bow bag
- Fittings for launching wheels
- 2 multi-pocket carrying bags
- 2 paddles
- Foot pump
- 1 pressure gauge
- Repair kit
- Owner's manual

PACK VERSION (FUTURA Alu)

- Complete piloting unit
- 2 adjustable benches
- 1 console (without instrumentation)
- 1 steering wheel
- Steering unit and cable

OPTIONAL EQUIPMENT

- Launching wheels
- Fishing rod holder
- Electric pump
- Launch trolley
- Bathing ladder

Which floor?



CLASSIC - FUTURA


ALU > ALUMINIUM FLOOR strong + easy to maintain

An aluminium floor: **outstanding strength!**

With its exceptional resistance to all types of impact, this is the favourite type of floor for divers and fans of high-performance boats.

Optimum functionality: it can be fitted in a flash and completely disassembled for quick and easy maintenance.

For added safety, convenience and space on your boat, a built-in rail allows you to secure all your equipment.



Quick fit aluminium floorboards with tie-down rail system.





CLASSIC

SOLID > PLYWOOD FLOOR


economical + simple to use

Solid floors – peace of mind **guaranteed!**

Its plywood-board system, with its proven toughness, makes it the ideal choice for day-tripping and fishing activities alike.

Its aluminium frame is strong and durable for years of dependable service.

The rigid non-skid finish is especially attractive to fishermen as it offers safe footing, together with its built-in rails which allow the bench position to be adjusted (Zodiac® patent).



Marine plywood floorboards in an aluminium frame with tie-down rail system.



WHICH FLOOR?

FUTURA

FR > INFLATABLE FLOOR

light + compact


The H2P floor is **ingenuity at its best!**

The H2P floor is cleverly designed with thousands of polyester threads criss-crossing one another. It is inflated at high pressure, proving to be as resistant as a rigid floor.

Its exclusive, patented non-skid system gives you total boating safety.

Light and compact, its small size allows it to be easily transported and stowed in tight spaces.

Ingenuous and practical, it has attachment points for fastening accessories and other types of equipment.



Removable inflatable H₂P airfloor.



Technical specifications

ENGINES

Indicated measurements may vary by +/- 3%, or +/- 5% for weight and speed measurements.

(1) Maximum permitted load is calculated using ISO standards. Caution is advised when operating fully laden boats.

(2) Recommended power is based on optimal use of the boat's abilities under average load. Depending on use, choose either maximum (waterskiing) or minimum power (fishing, cruising).

(3) The manufacturer's plaque specifies maximum permitted power. The power of your boat must not exceed this under any circumstances.

(4) Maximum permitted weight: dry weight, according to motor manufacturers' catalogue specifications.

(5) Maximum speeds are intended as a guide only; they were measured in ideal conditions by professional pilots with one person aboard. They may vary according to make of motor, boat load, propeller type and water conditions.

(6) Models in this catalogue are sometimes shown with optional accessories. Please check standard equipment supplied with each model and see your distributor for any additional equipment. The availability of certain models, as well as certain equipment details may vary from country to country (e.g. USA, Canada). The boats photographed in this catalogue may differ from the actual models.

Zodiac® continually strives to improve the quality of its products and as such reserves the right to modify or delete any model presented in this catalogue without prior notice.

Zodiac® recommends that a life jacket is worn at all times; it is your own responsibility to check the legal obligations on your navigation zone.

This document may refer to trademarks belonging to other Companies. Such references are for identification only, and are not intended to be an endorsement. Whilst constantly seeking to improve its products, Zodiac® reserves the right to modify or improve the design or definition of its products at any time, without any prior notification and no retroactive effect on the boats built previously. This document cannot be considered as a contractual document. Non contractual pictures. Attitudes and behaviours of the persons aboard the boats must not be considered as an example.



	ZOOM SP			CLASSIC MARK 1	
	350 ALU	400 ALU	450 ALU	ALU	SOLID
DIMENSIONS (metres - feet/inches)					
Overall length	3,5 - 11'6"	4 - 13'1"	4,5 - 14'9"	3,5 - 11'6"	
Inside length	2,4 - 6'8"	3,2 - 10'6"	3,48 - 11'5"	2,3 - 7'7"	
Overall width	1,72 - 5'8"	1,92 - 6'4"	1,92 - 6'4"	1,61 - 5'3"	
Inside width	0,83 - 2'9"	0,90 - 2'11"	0,90 - 2'11"	0,77 - 2'6"	
Buoyancy tube diameter	0,45 - 1'6"	0,50 - 1'8"	0,50 - 1'8"	0,425 - 1'5"	
CAPACITY					
Passengers (ISO)	5	7*	8*	5	5
Maximum payload ¹ (kg - lbs)	650 - 1433	900* - 1984*	1000* - 2205*	590 - 1301	590 - 1301
Total weight (kg - lbs)	65 - 143	85 - 187	96 - 212	64 - 141	61 - 134
Airtight compartments	3 + 1	5 + 1	5 + 1	3 + 1	3 + 1
DESIGN CATEGORY					
European directive N° 94/25/CE	C	C	C	C	C
OUTBOARD DATA					
Shaft: ● Short ■ Long	●	●	■	●	●
Minimum recommended power ² (Hp)	15	20*	30*	6	6
Minimum recommended power ² (kW)	12	15*	23*	5	5
Maximum recommended power ² (Hp)	15	20*	30*	20	20
Maximum recommended power ² (kW)	12	15*	23*	15	15
Maximum power allowed ³ (Hp)	20	25*	40*	25	25
Maximum power allowed ³ (kW)	15	19*	30*	19	19
Maximum weight of outboard ⁴ (kg - lbs)	55 - 121	72* - 159*	95* - 209*	75 - 159	72 - 159
Maximum speed ⁵ (km/h - mph)				45 - 28	45 - 28
DIMENSIONS OF THE FOLDED BOAT (metres - feet/inches)					
Length of 1 st bag	1,15 - 3'9"	1,27 - 4'2"	1,27 - 4'2"	1,3 - 4'3"	1,3 - 4'3"
Width of 1 st bag	0,55 - 1'10"	0,69 - 2'3"	0,69 - 2'3"	0,6 - 1'12"	0,6 - 1'12"
Height of 1 st bag	0,3 - 0'12"	0,30 - 0'12"	0,32 - 1'1"	0,35 - 1'2"	0,35 - 1'2"
Length of 2 nd bag	1,12 - 3'8"	1,17 - 3'10"	1,17 - 3'10"	0,89 - 2'11"	0,89 - 2'11"
Width of 2 nd bag	0,77 - 2'6"	0,64 - 2'1"	0,73 - 2'5"	0,6 - 1'12"	0,6 - 1'12"
Height of 2 nd bag	0,15 - 0'6"	0,10 - 0'4"	0,11 - 0'4"	0,14 - 0'6"	0,14 - 0'6"

* Awaiting approval



CLASSIC MARK 2C		CLASSIC MARK 2		FUTURA MARK 2C		FUTURA MARK 2		FUTURA MARK 3	
ALU	SOLID	ALU	SOLID	ALU	FR	ALU	FR	ALU	FR
3,8 - 12'6"		4,2 - 13'9"		3,7 - 12'2"		4,1 - 13'5"		4,5 - 14'9"	
2,55 - 8'4"		2,95 - 9'8"		2,6 - 8'6"		3 - 9'10"		3,4 - 11'2"	
1,83 - 6'0"		1,83 - 6'0"		1,99 - 6'6"		1,99 - 6'6"		2,05 - 6'9"	
0,92 - 3'0"		0,92 - 3'0"		0,89 - 2'11"		0,89 - 2'11"		0,9 - 2'11"	
0,455 - 1'6"		0,455 - 1'6"		0,55 - 1'10"		0,55 - 1'10"		0,575 - 1'11"	
6	6	7	7	6	5	7	6	9	8
750 - 1653	750 - 1653	840 - 1852	840 - 1852	860 - 1896	800 - 1764	1100 - 2425	1000 - 2205	1280 - 2822	1200 - 2646
77 - 170	74 - 163	87 - 192	83 - 183	97 - 214	72 - 159	102 - 225	75 - 165	116 - 256	81 - 179
3 + 1	3 + 1	3 + 1	3 + 1	3 + 2 + 1	3 + 2 + 1 + 1	4 + 2 + 1	4 + 2 + 1 + 1	5 + 2 + 1	5 + 2 + 1 + 1
C	C	C	C	C	C	C	C	C	C
●	●	●	●	●	●	■	■	■	■
8	8	10	10	15	8	20	10	25	10
6	6	8	8	12	6	15	8	19	8
25	25	30	30	30	15	40	20	50	30
19	19	23	23	23	12	30	15	38	23
35	35	40	40	40	25	50	30	60	40
26	26	30	30	30	19	37	22	45	30
85 - 187	85 - 187	95 - 209	95 - 209	95 - 209	72 - 159	115 - 254	75 - 165	120 - 265	95 - 209
50 - 31	50 - 31	54 - 34	54 - 34	56 - 35	45 - 28	60 - 37	47 - 29	60 - 37	52 - 32
1,44 - 4'9"	1,44 - 4'9"	1,44 - 4'9"	1,44 - 4'9"	1,4 - 4'7"	1,4 - 4'7"	1,4 - 4'7"	1,4 - 4'7"	1,4 - 4'7"	1,4 - 4'7"
0,65 - 2'2"	0,65 - 2'2"	0,68 - 2'3"	0,68 - 2'3"	0,75 - 2'6"	0,75 - 2'6"	0,75 - 2'6"	0,75 - 2'6"	0,75 - 2'6"	0,75 - 2'6"
0,35 - 1'2"	0,35 - 1'2"	0,35 - 1'2"	0,35 - 1'2"	0,63 - 2'1"	0,63 - 2'1"	0,63 - 2'1"	0,63 - 2'1"	0,63 - 2'1"	0,63 - 2'1"
1,05 - 3'5"	1,05 - 3'5"	1,05 - 3'5"	1,05 - 3'5"	1,05 - 3'5"	-	1,05 - 3'5"	-	1,05 - 3'5"	-
0,61 - 2'0"	0,61 - 2'0"	0,65 - 2'2"	0,65 - 2'2"	0,61 - 2'0"	-	0,65 - 2'2"	-	0,74 - 2'5"	-
0,14 - 0'6"	0,14 - 0'6"	0,14 - 0'6"	0,14 - 0'6"	0,14 - 0'6"	-	0,14 - 0'6"	-	0,18 - 0'7"	-



www.zodiacmarine.com



Zodiac International S.A.S.U with a capital of 18,000,000 € - 729 800 839 RCS Paris
Zodiac® is a registered trade mark - Copyright© Zodiac® 2012